

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (12/97)
Approved for use through 09/30/00. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

Beiersdorf 416.1

Total Pages

First Named Inventor or Application Identifier

SEE ATTACHED APPENDIX

Express Mail Label No.

EL305012114US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)

2. ☒ Specification [Total Pages 17]
(preferred arrangement set forth below)

- Descriptive title of the invention
- Cross References to Related Applications
- Statement Regarding Fed sponsored R & D
- Reference to Microfiche Appendix
- Background of the invention
- Brief Summary of the invention
- Brief Description of the Drawings (if filed)
- Detailed Description
- Claim(s)
- Abstract of the Disclosure

3. ☐ Drawing(s) (35 USC 113) [Total Sheets ☐

4. Oath or Declaration [Total Pages ☐

a. ☐ Newly executed (original or copy)

b. ☒ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
(Note Box 5 below)

i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting
inventor(s) named in the prior application,
see 37 CFR 1.63(d)(2) and 1.33(b).

5. ☒ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a
copy of the oath or declaration is supplied under Box 4b,
is considered as being part of the disclosure of the
accompanying application and is hereby incorporated by
reference therein.

6. ☐ Microfiche Computer Program (Appendix)

7. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)

a. ☐ Computer Readable Copy

b. ☐ Paper Copy (identical to computer copy)

c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers (cover sheet & document(s))

9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)

10. ☐ English Translation Document (if applicable)

11. ☒ Information Disclosure ☐ Copies of IDS
Statement (IDS)/PTO-1449 Citations

12. ☒ Preliminary Amendment

13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)

14. ☐ Small Entity ☐ Statement filed in prior application,
Statement(s) Status still proper and desired

15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)

16. ☐ Other:

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation

☒ Divisional

☐ Continuation-in-part (CIP)

of prior application No: 08 / 788,147

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label

or ☒ Correspondence address below

NAME Kurt G. Briscoe, Reg. No. 33,141
SPRUNG KRAMER SCHAEFER & BRISCOE

ADDRESS 660 WHITE PLAINS ROAD

CITY TARRYTOWN

STATE

NY

ZIP CODE

10591

COUNTRY USA

TELEPHONE

914-332-1700

FAX

914-332-1844

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Beiersdorf 416.1-KGB:lad
6713-Dr. Wi-hf

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Heinrich Gers-Barlag, et al.
For : COSMETIC AND DERMATOLOGICAL LIGHT PROTECTION
FORMULATIONS HAVING A CONTENT OF TRIAZINE
DERIVATIVES AND GLYCERYL COMPOUNDS

-DIVISION OF -

Serial No. : 08/788,147
Filed : January 24, 1997
Art Unit : 1614
Examiner : R. Cook

March 10, 1999

Hon. Assistant Commissioner For Patents
Washington, D.C. 20231

Sir:

PRELIMINARY AMENDMENT

Prior to examining the instant application on the merits, kindly amend the
claims as follows:

IN THE SPECIFICATION:

Before the first line of the specification, please insert --This is a division of
U.S. Serial No. 08/788,147, filed January 24, 1997, now allowed--.

IN THE CLAIMS:

Cancel all the claims and substitute:

--7. A cosmetic or dermatological composition for protecting skin from the damaging effects of UV light, said composition comprising:

- a) a light protective amount of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris (2-ethylhexyl ester);
- b) polyglyceryl 2-polyhydroxystearate.--

--8. A method of protecting skin from the damaging effects of UV light comprising applying to the skin a light protective amount of a composition according to claim 7.--

--9. A cosmetic or dermatologic composition according to claim 7, which further comprises at least one additional UVA and/or UVB filter.--

--10. A cosmetic or dermatologic composition according to claim 7, which further comprises at least one cosmetically or dermatologically acceptable inorganic pigment.--

--11. A cosmetic or dermatologic composition according to claim 7, which further comprises at least one cosmetically or dermatologically acceptable auxiliary.--

--12. A cosmetic or dermatologic composition according to claim 7, which further comprises at least one cosmetically or dermatologically acceptable antioxidant.--

REMARKS


This application is a divisional application of U.S. Serial No. 08/788,147, filed January 24, 1997, now allowed.

An early examination on the merits is earnestly solicited.

Respectfully submitted,

SPRUNG KRAMER SCHAEFER & BRISCOE

By


Kurt G. Briscoe
Reg. No. 33,141

660 White Plains Road
Tarrytown, New York 10591-5144
(914) 332-1700

Description

Cosmetic and dermatological light protection formulations having a content of triazine derivatives and glyceryl compounds

5 The present invention relates to cosmetic and dermatological light protection formulations, in particular skin-care cosmetic and dermatological light protection formulations.

10 The damaging effect of the ultraviolet part of solar radiation on the skin is generally known. While rays having a wavelength of less than 290 nm (the so-called UVC range) are absorbed by the ozone layer in the earth's atmosphere, rays in the range between 290 nm and 320 nm, the so-called UVB range, cause erythema, simple
15 sunburn or even burns of greater or lesser severity.

 The narrower range around 308 nm is stated as the erythema activity maximum of sunlight.

 Numerous compounds are known for protection against UVB radiation, these usually being derivatives of
20 3-benzylidinecamphor, of 4-aminobenzoic acid, of cinnamic acid, of salicylic acid, of benzophenone and also of 2-phenylbenzimidazole.

 For the range between about 320 nm and about 400 nm, the so-called UVA range, it is also important to have
25 available filter substances, since the rays thereof can also cause damage. Thus, it has been proved that UVA radiation leads to damage to the elastic and collagenic fibres of connective tissue, which makes the skin age prematurely, and that it is to be regarded as a cause of
30 numerous phototoxic and photoallergic reactions. The damaging effect of UVB radiation can be intensified by UVA radiation.


 However, UV radiation can also lead to photochemical reactions, the photochemical reaction
35 products then intervening in the skin metabolism.

 Such photochemical reaction products are chiefly free-radical compounds, for example hydroxyl radicals. Undefined free-radical photoproducts which are formed in the skin itself can also show uncontrolled secondary

reactions because of their high reactivity. However, singlet oxygen, a non-radical excited state of the oxygen molecule, may also occur under UV irradiation, as can short-lived epoxides and many others. Singlet oxygen, for example, is distinguished from the triplet oxygen normally present (free-radical ground state) by an increased reactivity. Nevertheless, excited, reactive (free-radical) triplet states of the oxygen molecule also exist.

UV radiation is furthermore counted among ionizing radiation. There is therefore the risk of ionic species also being formed during UV exposure, which then in turn are capable of intervening oxidatively in biochemical processes.


An advantageous UVB filter is 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester), synonym: 2,4,6-tris-[anilino-(p-carbo-2'-ethyl-1'-hexyloxy)]-1,3,5-triazine.



This UVB filter substance is marketed by BASF Aktiengesellschaft under the trade name UVINUL® T 150, and is distinguished by good UV absorption properties.


The main disadvantage of this UVB filter is the poor solubility in lipids. Known solvents for this UVB filter can dissolve a maximum of about 15 % by weight of this filter, corresponding to about 1-1.5 % by weight of dissolved, and therefore active, UV filter substance.

It was surprising, however, and unforeseeable to the expert that active compound combinations, which have a light protection action, of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) and one or more emulsifiers chosen from the group of substances of the general structural formula



wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8, remedy the disadvantages of the prior art.

The invention also particularly relates to the use of one or more emulsifiers chosen from the group of substances of the general structural formula




wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8, as a solvent, solubilizing agent or solubilizer for 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester), in particular for use in light protection compositions.

A prerequisite for the usability of the active compound combinations according to the invention for the purposes according to the invention is of course cosmetic

or dermatological acceptability of the substances on which they are based.

It is possible, according to the invention, to increase the amounts of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) employed in cosmetic or dermatological formulations considerably with respect to the prior art.

It was furthermore astonishing that by addition of emulsifiers used according to the invention, chosen from the group of substances of the general structural formula



wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8, a stabilization of solutions of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) is effected, since the latter substance not only has a poor solubility but also readily crystallizes out again from its solution.


The invention therefore also relates to a process for stabilizing solutions of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester), characterized in that an active content of emulsifiers used according to the invention is added to such solutions.

The emulsifier "polyglyceryl 2-polyhydroxystearate", which is filed under registration numbers 156531-21-4 and 144470-58-6 in "Chemical Abstracts" and which is obtainable, for example, under the trade name DEHYMULS® PGPH from Henkel KGaA, has proved to be especially advantageous.

Japanese laid-open specification JP-Hei-04/178316 indeed describes cosmetic formulations having a content of emulsifiers which fall under the structural formula given under (b), but no indication of the present invention is given therein.


The total amount of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) in the finished cosmetic or dermatological formulations is advantageously chosen from the range of 0.1 - 10.0 % by weight, preferably 0.5 - 6.0 % by weight, based on the total weight of the formulations.

The total amount of one or more emulsifiers used according to the invention, chosen from the group of substances of the general structural formula



wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8, in the finished cosmetic or dermatological formulations is advantageously chosen from the range of 0.01 - 250.0 % by weight, preferably 0.5 - 6.0 % by weight, based on the total weight of the formulations.

It is advantageous to choose weight ratios of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) and one or more emulsifiers used according to the invention, chosen from the group of substances of the general structural formula



wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three
5 aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8, from the range from 1:10 to 10:1, preferably 1:4 to 4:1.

Cosmetic and dermatological formulations according to the invention moreover comprise inorganic pigments
10 based on metal oxides and/or other metal compounds which are sparingly soluble or insoluble in water, in particular the oxides of titanium (TiO_2), zinc (ZnO), iron (for example Fe_2O_3), zirconium (ZrO_2), silicon (SiO_2), manganese (for example MnO), aluminium (Al_2O_3) or cerium (for
15 example Ce_2O_3), mixed oxides of the corresponding metals and mixtures of such oxides. The pigments are particularly preferably those based on TiO_2 .

It is particularly advantageous in the context of the present invention if the inorganic pigments are
20 present in hydrophobic form, i.e. they are given a water-repellent treatment on the surface. This surface treatment can comprise providing the pigments with a thin hydrophobic layer by processes known per se.

Such a process comprises, for example, producing
25 the hydrophobic surface layer by a reaction in accordance with
$$n TiO_2 + m (RO)_3Si-R' \rightarrow n TiO_2 \text{ (surface)}.$$

n and m in this equation are stoichiometric parameters to be inserted as required, and R and R' are the desired
30 organic radicals. Pigments hydrophobicized, for example, analogously to German Offenlegungsschrift 33 14 742 are of advantage.

Advantageous TiO_2 pigments are obtainable, for example, under the trade name MT 100 T from TAYCA.

35 The total amount of inorganic pigments, in particular hydrophobic inorganic micropigments, in the finished cosmetic or dermatological formulations is advantageously chosen from the range of 0.1 - 30 % by weight, preferably 0.1 - 10.0, preferably 0.5 - 6.0 % by

weight, based on the total weight of the formulations.

The cosmetic and/or dermatological light protection formulations according to the invention can have the customary compositions and be used for cosmetic and/or dermatological protection from light, and furthermore for treatment, care and cleansing of the skin and/or hair and as a make-up product in decorative cosmetics.

For use, the cosmetic and dermatological formulations according to the invention are applied to the skin and/or hair in an adequate amount in the manner customary for cosmetics.

Those cosmetic and dermatological formulations which are in the form of a sunscreen composition are particularly preferred. These can advantageously additionally comprise at least one further UVA filter and/or at least one further UVB filter and/or at least one inorganic pigment, preferably an inorganic micropigment.

The cosmetic and dermatological formulations according to the invention can comprise cosmetic auxiliaries such as are usually used in such formulations, for example preservatives, bactericides, perfumes, substances for preventing foaming, dyestuffs, pigments which have a colouring action, thickeners, moisturizing and/or humectant substances, fats, oils, waxes or other customary constituents of a cosmetic or dermatological formulation, such as alcohols, polyols, polymers, foam stabilizers, electrolytes, organic solvents or silicone derivatives.

An additional content of antioxidants is in general preferred. All the antioxidants suitable or customary for cosmetic and/or dermatological uses can be used according to the invention as favourable antioxidants.

The antioxidants are advantageously chosen from the group consisting of amino acids (for example glycine, histidine, tyrosine and tryptophan) and derivatives thereof, imidazoles (for example urocaninic acid) and derivatives thereof, peptides, such as D,L-carnosine, D-carnosine, L-carnosine and derivatives thereof (for

example anserine), carotinoids, carotenes (for example α -carotene, β -carotene and lycopene) and derivatives thereof, chlorogenic acid and derivatives thereof, liponic acid and derivatives thereof (for example di-
5 hydroliponic acid), aurothioglucose, propylthiouracil and other thiols (for example thioredoxin, glutathione, cysteine, cystine, cystamine and the glycosyl, N-acetyl, methyl, ethyl, propyl, amyl, butyl and lauryl, palmitoyl, oleyl, γ -linoleyl, cholesteryl and glyceryl esters
10 thereof) and salts thereof, dilauryl thiodipropionate, distearyl thiodipropionate, thiodipropionic acid and derivatives thereof (esters, ethers, peptides, lipids, nucleotides, nucleosides and salts) and sulfoximine compounds (for example buthionine-sulfoximines, homocysteine-sulfoximine, buthionine-sulphones and penta-,
15 hexa- and heptathionine-sulfoximine) in very low tolerated dosages (for example pmol to μ mol/kg), and furthermore (metal) chelators (for example α -hydroxy-fatty acids, palmitic acid, phytic acid and lactoferrin),
20 α -hydroxy acids (for example citric acid, lactic acid and maleic acid), humic acid, bile acid, bile extracts, bilirubin, biliverdin, EDTA, EGTA and derivatives thereof, unsaturated fatty acids and derivatives thereof (for example γ -linolenic acid, linoleic acid and oleic acid),
25 folic acid and derivatives thereof, furfurylidenesorbitol and derivatives thereof, ubiquinone and ubiquinol and derivatives thereof, vitamin C and derivatives (for example ascorbyl palmitate, Mg ascorbyl phosphate and ascorbyl acetate), tocopherols and derivatives (for
30 example vitamin E acetate), vitamin A and derivatives (vitamin A palmitate) and coniferyl benzoate of benzoin resin, rutic acid and derivatives thereof, α -glycosyl-rutin, ferulic acid, furfurylideneglucitol, carnosine, butylhydroxytoluene, butylhydroxyanisole, nordihydro-
35 guaiac resin acid, nordihydroguaiaretic acid, trihydroxy-butyrophenone, uric acid and derivatives thereof, mannose and derivatives thereof, zinc and derivatives thereof (for example ZnO and ZnSO₄), selenium and derivatives thereof (for example selenium-methionine), stilbenes and

derivatives thereof (for example stilbene oxide and trans-stilbene oxide) and the derivatives of these active compounds mentioned which are suitable according to the invention (salts, esters, ethers, sugars, nucleotides, 5 nucleosides, peptides and lipids).

The amount of the abovementioned antioxidants (one or more compounds) in the formulations is preferably 0.001 to 30 % by weight, particularly preferably 0.05 - 20 % by weight, in particular 1 - 10 % by weight, based 10 on the total weight of the formulation.

If vitamin E and/or derivatives thereof are the antioxidant or antioxidants, it is advantageous to choose the particular concentrations thereof from the range of 0.001 - 10 % by weight, based on the total weight of the 15 formulation.

If vitamin A or vitamin A derivatives or carotenes or derivatives thereof are the antioxidant or antioxidants, it is advantageous to choose the particular concentrations thereof from the range of 0.001 - 10 % by 20 weight, based on the total weight of the formulation.

The lipid phase can advantageously be chosen from the following group of substances:

- mineral oils, mineral waxes
- oils, such as triglycerides of capric or caprylic acid, but preferably castor oil;
- 25 - fats, waxes and other naturally occurring and synthetic fat substances, preferably esters of fatty acids with alcohols of low C number, for example with isopropanol, propylene glycol or glycerol, or 30 esters of fatty alcohols with alkanolic acids of low C number or with fatty acids;
- alkyl benzoate;
- silicone oils, such as dimethylpolysiloxanes, diethylpolysiloxanes, diphenylpolysiloxanes and mixed 35 forms thereof.

If appropriate, the aqueous phase of the formulations according to the invention advantageously comprises

- alcohols, diols or polyols of low C number, and ethers thereof, preferably ethanol, isopropanol,

propylene glycol, glycerol, ethylene glycol, ethylene glycol monoethyl or monobutyl ether, propylene glycol monomethyl, monoethyl or monobutyl ether, diethylene glycol monomethyl or monoethyl ether and analogous products, and furthermore alcohols of low C number, for example ethanol, isopropanol, 1,2-propanediol, glycerol and, in particular, one or more thickeners, which can advantageously be chosen from the group consisting of silicon dioxide, aluminium silicates, polysaccharides and derivatives thereof, for example hyaluronic acid, xanthan gum and hydroxypropylmethylcellulose, particularly advantageously from the group consisting of polyacrylates, preferably a polyacrylate from the group consisting of the so-called carbopols, for example carbopols of types 980, 981, 1382, 2984 and 5984, in each case individually or in combination.

The cosmetic or dermatological light protection formulations advantageously comprise inorganic pigments, in particular micropigments, for example in amounts of 0.1 % by weight to 30 % by weight, preferably in amounts of 0.5 % by weight to 10 % by weight, but in particular 1 % by weight to 6 % by weight, based on the total weight of the formulations.

It is advantageous according to the invention to employ, in addition to the combinations according to the invention, oil-soluble UVA filters and/or UVB filters in the lipid phase and/or water-soluble UVA filters and/or UVB filters in the aqueous phase.

The light protection formulations according to the invention can advantageously comprise further substances which absorb UV radiation in the UVB range, the total amount of filter substances being, for example, 0.1 % by weight to 30 % by weight, preferably 0.5 to 10 % by weight, in particular 1 to 6 % by weight, based on the total weight of the formulations, in order to provide cosmetic formulations which protect the skin from the entire range of ultraviolet radiation. They can also be used as sunscreen compositions.

The further UVB filters can be oil-soluble or water-soluble. Advantageous oil-soluble UVB filter substances are, for example:

- 5 - 3-benzylidenecamphor derivatives, preferably 3 - (4-methylbenzylidene)camphor, 3-benzylidenecamphor;
- 4-aminobenzoic acid derivatives, preferably 2-ethylhexyl 4-(dimethylamino)benzoate and amyl 4-(dimethylamino benzoate;
- 10 - ester of cinnamic acid, preferably 2-ethylhexyl 4-methoxycinnamate and isopentyl 4-methoxycinnamate;
- derivatives of benzophenone, preferably 2-hydroxy-4-methoxybenzophenone, 2-hydroxy-4-methoxy-4'-methylbenzophenone, 2,2'-dihydroxy-4-methoxybenzophenone;
- 15 and
- esters of benzalmalonic acid, preferably di(2-ethylhexyl) 4-methoxybenzalmalonate.

Advantageous water-soluble UVB filter substances are, for example:

- 20 - salts of 2-phenylbenzimidazole-5-sulphonic acid, such as its sodium, potassium or its triethanolammonium salt, and the sulphonic acid itself;
- sulphonic acid derivatives of benzophenones, preferably 2-hydroxy-4-methoxybenzophenone-5-sulphonic
- 25 acid and salts thereof; and
- sulphonic acid derivatives of 3-benzylidenecamphors, such as, for example, 4-(2-oxo-3-bornylidenemethyl)benzenesulphonic acid, 2-methyl-5-(2-oxo-3-bornylidenemethyl)benzenesulphonic acid and salts
- 30 thereof.




The list of further UVB filters mentioned which can be used in combination with the active compound combinations according to the invention is, of course, not intended to be limiting.

- 35 It may also be advantageous to combine the combinations according to the invention with further UVA filters which have usually been contained to date in cosmetic formulations. These substances are preferably derivatives of dibenzoylmethane, in particular 1-(4'-

tert-butylphenyl)-3-(4'-methoxyphenyl)-propane-1,3-dione and 1-phenyl-3-(4'-isopropylphenyl)propane-1,3-dione. The invention also relates to these combinations and to formulations which comprise these combinations. The amounts used for the UVB combination can be employed.

It is furthermore advantageous to combine the active compound combinations according to the invention with further UVA and/or UVB filters.

It is also particularly advantageous to combine the active compound combinations according to the invention with salicylic acid derivatives, some representatives of which are known, which can likewise absorb UV radiation. The customary UV filters include



The invention also relates to a process for the preparation of the cosmetic and/or dermatological light protection formulations according to the invention, which is characterized in that, in a manner known per se, the 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) is suspended in one or more alkanecarboxylic acids or an oily phase having a content

of alkanecarboxylic acids, while stirring uniformly and if appropriate while heating, and, if desired, the mixture is homogenized, the mixture is combined with further lipid components, if appropriate, and with one or more emulsifiers, if appropriate, thereafter the oily phase is mixed with the aqueous phase, into which a thickener has been incorporated, if appropriate, and which preferably has about the same temperature as the oily phase, and the mixture is homogenized, if desired, and allowed to cool to room temperature. After cooling to room temperature, the mixture can be homogenized again, especially if volatile constituents are also to be incorporated.

The following examples are intended to illustrate the present invention without limiting it. All the amounts data, contents and percentage contents are based on the weight and the total amount or on the total weight of the formulations, unless stated otherwise.

Example 1

20 Sun cream

	% by weight
Polyglyceryl 2-polyhydroxystearate	5.00
Softisan 100	3.00
Glycerol	3.00
25 Lunacera S	0.50
Magnesium sulphate	0.70
Mineral oil	12.00
Caprylyl ether	8.00
Uvinul T 150	3.00
30 Cetearyl isononanoate	6.00
Preservative, perfume	q.s.
Water, demineralized	to 100.00

Example 2


Sunscreen lotion

	% by weight
Polyglyceryl 2-polyhydroxystearate	5.00
Magnesium stearate	0.05

	Butylene glycol	5.00
	Elfacos C26	1.00
	Magnesium sulphate	0.50
	Isohexadecane	7.00
5	Capric/caprylic triglyceride	5.00
	Cetearylisononanoate	14.00
	Uvinul T150	5.00
	Preservative, perfume	q.s.
	Water, demineralized	to 100.00
10	<u>Example 3</u>	
		% by weight
	Glyceryl lanolate	1.00
	Wool wax alcohol	0.10
	Polyglyceryl 2-polyhydroxystearate	5.00
15	Paraffin oil (paraffinum liquidum)	6.00
	Isohexadecane	4.00
	Myristyl myristate	3.00
	Butylmethoxydibenzoylmethane	2.00
	Methylbenzylidenecamphor	4.00
20	Octyltriazone	1.50
	Titanium dioxide	2.00
	Lactic acid	1.00
	Sodium hydroxide	q.s.
	Glycerol	5.00
25	Alcohol, denatured	2.00
	MgSO ₄	0.70
	Bisabolol	0.10
	Na ₃ HEDTA	0.50
	Tocopheryl acetate	0.50
30	Preservative, perfume	q.s.
	Water	to 100.00


Patent claims

1. Active compound combinations, which have a light protection action, of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) and one or more emulsifiers chosen from the group of substances of the general structural formula



wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8.

2. Use of one or more emulsifiers chosen from the group of substances of the general structural formula




wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8, as a solvent, solubilizing agent or solubilizer for 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester), in particular for use in light protection compositions.

3. Combinations according to Claim 1 or use according to Claim 2, characterized in that salicylic acid derivatives from the group consisting of 4-isopropylbenzyl salicylate, 2-ethylhexyl salicylate, (octyl salicylate) and/or homomenthyl salicylate are chosen as

further light protection filter substances.

4. Combinations according to Claim 1 or use according to Claim 2, characterized in that the total amount of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) in the finished cosmetic or dermatological formulations is chosen from the range of 0.1 - 10.0 % by weight, preferably 0.5 - 6.0 % by weight, in each case based on the total weight of the formulations.

5. Combinations according to Claim 1 or use according to Claim 2, characterized in that the total amount of one or more emulsifiers chosen from the group of substances of the general structural formula




wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8, in the finished cosmetic or dermatological formulations is chosen from the range of 0.1 - 10.0 % by weight, preferably 0.5 - 6.0 % by weight, in each case based on the total weight of the formulations.

6. Combinations according to Claim 1 or use according to Claim 2, characterized in that the weight ratio of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) and one or more salicylic acid derivatives is chosen from the range from 1 : 10 to 10 : 1, preferably 1 : 4 to 4 : 1.

Abstract

Active compound combinations, which have a light protection action, of 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)-trisbenzoic acid tris(2-ethylhexyl ester) and one or more emulsifiers chosen from the group of substances of the general structural formula



wherein R_1 , R_2 and R_3 independently of one another are chosen from the group which comprises: H and branched and unbranched, saturated and unsaturated fatty acid radicals having 8 to 24 carbon atoms, in which up to three aliphatic hydrogen atoms can be replaced by hydroxyl groups, and n is a number from 2 to 8.

COMBINED DECLARATION AND POWER OF ATTORNEY

ATTORNEY DOCKET NO.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled COSMETIC AND DERMATOLOGICAL LIGHT PROTECTION FORMULATIONS HAVING A
CONTENT OF TRIAZINE DERIVATIVES AND GLYCERYL DERIVATIVES AND GLYCERYL
the specification of which COMPOUNDS

(check one) ☒ is attached hereto.

☐ was filed on January 24, 1997 as
Application Serial No. 08/788,147 and
was amended on _____
(if applicable)
was amended through _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
<u>196 02 618.0</u>	<u>Germany</u>	<u>25 January 1996</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
<u> </u>	<u> </u>	<u> </u>	<input type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
<u> </u>	<u> </u>	<u> </u>	<input type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u> </u>	<u> </u>	<u> </u>
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)
<u> </u>	<u> </u>	<u> </u>
(Application Serial No.)	(Filing Date)	(Status)
		(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named Inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Arnold Sprung, Reg. No. 17,232; Nathaniel D. Kramer, Reg. No. 25,350; Ira J. Schaefer, Reg. No. 26,802 and Alan J. Grant, Reg. No. 33,389 of 120 White Plains Road, Tarrytown, New York 10591; Leonard Horn, Reg. No. 17,200; Kurt G. Briscoe, Reg. No. 33,141; William C. Gerstenzang, Reg. No. 27,552 and Mark W. Russell, Reg. No. 37,514; of 660 White Plains Road, 4th Floor, Tarrytown, New York 10591-5144, with full power of substitution and revocation.

Send Correspondence To: SPRUNG HORN KRAMER & WOODS 660 White Plains Road, 4th Fl. Tarrytown, New York 10591-5144	Direct Telephone Calls To: (914) 332-1700
---	---

Full Name Of Sole or First Inventor Heinrich GERS-BARLAG	Inventor's Signature <i>Heinrich Gers-Barlag</i>	Date 7/3/97
Residence Kiebitzgrund 11, D-22527 Hamburg, Germany		Citizenship German
Post Office Address Kiebitzgrund 11, D-22527 Hamburg, Germany		
Full Name Of Second Inventor Rainer KRÖPKE	Inventor's Signature <i>Rainer Kröpke</i>	Date 10/31/97
Residence Stellinger Damm 34A, D-22527 Hamburg, Germany		Citizenship German
Post Office Address Stellinger Damm 34A, D-22527 Hamburg, Germany		
Full Name Of Third Inventor Anja MÜLLER	Inventor's Signature <i>Anja Müller</i>	Date 10/3/97
Residence Gärtnerstraße 22 Hs. 6, D-20253 Hamburg, Germany		Citizenship German
Post Office Address Gärtnerstraße 22 Hs. 6, D-20253 Hamburg, Germany		
Full Name Of Fourth Inventor	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		
Full Name Of Fifth Inventor	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		
Full Name Of Sixth Inventor	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		
Full Name Of Seventh Inventor	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		